	Application No.	Applicant(s)
Notice of Allowability	10/721,408	KAWANISHI ET AL.
	Examiner	Art Unit
	Ernest F. Karlsen	2829
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.		
1. X This communication is responsive to the filing of November 26, 2003.		
2. 🔀 The allowed claim(s) is/are <u>1-10</u> .		
3. Acknowledgment is made of a claim for foreign priority una) All b) Some* c) None of the: 1. Certified copies of the priority documents have 2. Certified copies of the priority documents have 3. Copies of the certified copies of the priority documents have International Bureau (PCT Rule 17.2(a)). * Certified copies not received: Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give 1. CORRECTED DRAWINGS (as "replacement sheets") must 1. hereto or 2) To Paper No./Mail Date (b) including changes required by the Attached Examiner's Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the submit that the proper includes the policy.	e been received. e been received in Application No cuments have been received in this communication to file a reply MENT of this application. Initiated. Note the attached EXAMINER es reason(s) why the oath or declarate est be submitted. Is on's Patent Drawing Review (PTO- Is Amendment / Comment or in the Comment or in the Comment or the drawing several services.	national stage application from the complying with the requirements 'S AMENDMENT or NOTICE OF tion is deficient. 948) attached Office action of the back) of
6. DEPOSIT OF and/or INFORMATION about the depo attached Examiner's comment regarding REQUIREMENT	sit of BIOLOGICAL MATERIAL r	nust be submitted. Note the
 Attachment(s) 1. ⋈ Notice of References Cited (PTO-892) 2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948) 3. ⋈ Information Disclosure Statements (PTO-1449 or PTO/SB/0 Paper No./Mail Date 0204 4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material 	6. Interview Summary Paper No./Mail Da 7. Examiner's Amendi 8. Examiner's Stateme 9. Other ER	te

Application/Control Number: 10/721,408

Art Unit: 2829

Reasons for Allowance

The following is an examiner's statement of reasons for allowance: No reference was found anticipating or a combination of references found making obvious a method of and an apparatus for measuring a three-dimensional distribution and intensity of an electric field using a plurality of electric field sensors for electro-optic sampling wherein each of the sensors comprises an electro-optic crystal layer, a separation layer that separates the electro-optic crystal layer from an object to be measured and is constituted of a same material as the electro-optic crystal layer, and a light reflection layer, in which a sum thickness of the separation layer and electro-optic crystal layer of each sensor is a constant.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Examiner's Comments

Claims 1-10 are allowed.

The prior art made of record and not relied upon is considered pertinent to applicant's disclosure. Meyrueix et al, Ravel et al, Frankel, Kuo et al and Lo et al are cited to show prior art apparatus wherein electric fields are measured in two or more dimensions.

Any inquiry concerning this communication should be directed to Ernest F. Karlsen at telephone number 571-272-1961.

Ernest F. Karlsen

March 14, 2006

ERNEST KARLSEN PRIMARY EXAMINER Page 2